

Custom Products & Services, Inc.



6140 Claude Way E.,

Inver Grove Hts., MN. 55076

PH: 888-444-1202 FAX: 651-452-2264

E-Mail: info@custom-products.com

Website: www.custom-products.com

Solid Gray

Black/Orange

Black/Blue

All Colors Available in
Diamond Foot™
& Supreme Diamond Foot™

Black/Red

Black/Yellow
Chevron

Black/Green

Black/Yellow

Diamond Foot™

Ind. Spec. #210

- Durable PVC surface bonded with our **NGB** technology to a resilient anti-fatigue closed-cell PVC foam base
- Overall thickness 9/16"
- Industry favorite diamond pattern provides an abrasion and slip-resistant surface
- Surface will resist common fluids, most chemicals and is nonflammable
- Optional colored borders available
- Limited 3-year guarantee against wear and delamination
- Beveled edges on all mats

Durable PVC Diamond Pattern Surface



9/16"

Ergonomic Closed-cell PVC Foam

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes
2' x 3'	2' x 75'	2', 3' and 4'
3' x 5'	3' x 75'	widths up to
3' x 10'	4' x 75'	75' in length




Custom Configurations Available:
Call for details


Solid Black

Supreme Diamond Foot™

Ind. Spec. #215

- Durable PVC Diamond surface **NOB** bonded to a 1/2" Ergo-Flex™ Foam
- Ergo-Flex™ enhanced foam provides increased durability and resiliency over other foam based products
- Limited 3-year guarantee against wear and delamination
- Overall thickness 11/16"
- **NOB** = No Delamination
- Diamond plate pattern provides an abrasion and slip resistant wear surface
- Wear-surface will resist common fluids, most chemicals and is non-flammable
- Optional colored borders available
- Beveled edges on all mats (Specify beveled ends on rolls when ordering)



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5' 3' x 10'	2' x 75' 3' x 75' 4' x 75'	2', 3' and 4' widths up to 75' in length



Custom Configurations Available:
Call for details




Ultimate Diamond Foot™

Ind. Spec. #230


- The same Durable PVC Diamond surface **NOB** bonded to **MORE** (3/4") of our Ergo-Flex™ enhanced foam that provides even more durability and comfort for the most demanding work areas!
- Limited 3-year guarantee against wear and delamination
- Overall thickness 15/16"

Recommended Uses (All Diamond Foot™ Products)

- Automotive & industrial work cells
- Shipping and packaging work cells
- Machine shops and maintenance areas

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5' 3' x 10'	2' x 75' 3' x 75' 4' x 75'	2', 3' and 4' widths up to 75' in length

Available In Solid Black, Black Yellow and Black Yellow Chevron only



Custom Configurations Available:
Call for details

Custom Products & Services, Inc.

6140 Claude Way E., Inver Grove Heights, MN. 55076

PH: 888-444-1202 (Toll Free) or 651-452-2264 FAX: 651-452-2264



Black/Yellow

Black

Supreme SlipTech™

Ind. Spec. #220

- Provides unparalleled comfort compared to other composite anti-fatigue mats
- Aggressive NEW 3/16" "RUBBERIZED" durable top surface bonded to our 1/2" ergonomic PVC closed-cell foam.
- Revolutionary RUBBERIZED surface provides IMPROVED TRACTION
- RUBBERIZED top surface with large industrial Pyramid design provides compression as well as displaying DUAL COMPRESSION-DEFLECTION properties between the top surface and the ergonomic foam
- RUBBERIZED Wear-surface outlasts other wear-surfaces [LESS THAN 1% LOSS (Per ASTM D3884; 1000 Gram load; 1000 Cycles)]
- Wear-surface will resist most common chemicals
- Overall thickness 11/16"
- Significant INCREASE in Coefficient of Friction (Traction) wet and dry as compared to the best wear-surfaces in the industry!
- 3 Year Limited Warranty against wear and delamination
- Beveled edges on all mats and rolls

	Coefficient of Friction Dry	Coefficient of Friction Wet
Diamond Plate Anti-Fatigue	.8424	.7262
SlipTech™ Anti-Fatigue	.8800	.7839
% Better Per ASTM C-1028	8%	5%

Recommended Uses

- Automotive & industrial work cells
- Shipping and packaging work cells
- Machine shops and maintenance areas

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes
2' x 3' 3' x 5' 3' x 10'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length

Durable PVC Large Pyramid Pattern Surface



11/16"

made with enhanced ErgoFlex™ 1/2" foam



Custom Configurations Available:
Call for details



Black

Black/Yellow


Invigorator™

Ind. Spec. #235

Recommended Uses

- Automotive & industrial work cells
- Shipping and packaging work cells
- Machine shops and maintenance areas

- Durable 1/8" wide rib PVC surface **NGB** bonded to a resilient, 3/8" anti-fatigue closed-cell PVC foam base
- **NGB** = No Delamination
- 1/2" overall thickness
- Aggressive rib surface enhances traction
- Wide Rib PVC surface easier to clean than v-groove corrugated surface
- Limited 3 year guarantee against wear and delamination
- Resists common chemicals and fluids if cleaned regularly
- Great, cost effective alternative to other multi-layer antifatigue products


Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	2' x 75' 3' x 75' 4' x 75'	2', 3' and 4' widths up to 75' in length



Custom Configurations Available:
Call for details

Custom Products & Services, Inc.

6140 Claude Way E., Inver Grove Heights, MN. 55076
PH: 888-444-1202 (Toll Free) or 651-452-2264 FAX: 651-452-2264




Marble Foot™

Ind. Spec. #240

- Marbleized **rubber** surface **NGB** bonded to a 3/8" closed cell PVC sponge base
- **NGB** = No Delamination
- Attractive long lasting durable surface
- Resilient foam provides anti-fatigue comfort
- Resists common chemicals and solvents when cleaned regularly
- Beveled edges for safety
- Easy to clean surface
- Limited 3 year warranty against wear and delamination (Not guaranteed against damage from high heels, casters or stool legs)


Recommended Uses

- Hospital & laboratory environments
- Service counters
- Assembly lines
- Shipping and packaging work cells

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
18" x 30" 18" x 48" 2' x 3' 3' x 5'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length



Custom Configurations Available: Call for details




K-Marble Foot™

Ind. Spec. #242

- Marbleized **PVC** surface **NGB** bonded to a 3/8" closed cell PVC sponge base
- **NGB** = No Delamination
- Attractive long lasting durable surface
- Resilient foam provides anti-fatigue comfort
- Resists common chemicals and solvents when cleaned regularly
- Beveled edges for safety
- Easy to clean surface
- Limited 3 year warranty against wear and delamination (Not guaranteed against damage from high heels, casters or stool legs)

Recommended Uses

- Hospital & laboratory environments
- Service counters
- Assembly lines
- Shipping and packaging work cells

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length



Custom Configurations Available: Call for details



Great For
All Heavy Duty
Work Stations!

Stand-N-Weld™
Black



Stand-N-Weld™

Ind. Spec. #805

- Nitrile rubber surface repels sparks
- Raised grip surface pattern provides excellent traction
- 1/2" Sponge rubber foam base bonded to a 1/8" solid nitrile rubber surface provides all day relief from fatigue
- Wear surface will resist common fluids, most chemicals and is nonflammable

Stock Mat Sizes

35" x 56"
35" x 116"
44" x 68"
44" x 116"

Tough Nitrile Rubber, Slip resistant Surface



Soft, Sponge Rubber base for comfort

Recommended Uses

- Welding & grinding work cells
- Industrial work cells
- Service counters

Spark
Resistant!!



WeldMaster™

Spec. #800

- Nitrile rubber surface repels sparks
- Increased slip-resistant textured top surface
- 1/2" Overall Thickness
- 3/8" Closed-cell PVC foam base **NGB** bonded to a 1/8" solid nitrile rubber surface provides all day relief from fatigue
- Wear surface will resist common fluids, most chemicals and is nonflammable
- Fabric laminated underside top surface provides more tear-resistance and dimensional stability

Stock Mat Sizes

2' x 3'
3' x 5'
3' x 10'
2' x 75'
3' x 75'
4' x 75'

Custom Sizes

2', 3' and 4'
widths up to
75' in length

Recommended Uses

- Welding & grinding work cells
- Industrial work cells
- Service counters
- Assembly Lines



Custom Products & Services, Inc.

6140 Claude Way E., Inver Grove Heights, MN. 55076

PH: 888-444-1202 (Toll Free) or 651-452-2264 FAX: 651-452-2264

**Great When
You Need Extra
Wear-Resistance!!**

Black


ArmorStep™


Ind. Spec. #150

- Enhanced, wear-resistant top surface fusion bonded to a closed-cell PVC foam base
- Extremely durable matting that outlasts traditional one-layer foam products
- Cost effective alternative to other laminated foam-based products
- Closed-cell foam structure resists moisture and common chemicals
- Limited lifetime warranty against product delamination
- 1/2" overall thickness provides all day comfort and relief from standing
- Beveled edges for increased safety

Recommended Uses

- Automotive & industrial work cells
- Service counters
- Shipping and packaging work cells
- Machine shops and maintenance areas



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5' 3' x 10'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length



ErgoFlex™

Ind. Spec.

#135
(1/2" thickness)

#140
(3/8" thickness)

Solid Black

ErgoFlex™ Technology

- A special formulated foam with an enhanced cell structure provides unparalleled resilience and cushioning for ultimate work comfort
- Closed-cell PVC foam formulation is extra tough for long lasting performance
- The next generation foam technology that outlasts traditional foam matting products three to one!

- Designed and manufactured to accommodate the most demanding work environments
- Handles most common fluids and stays buoyant even at low temperatures
- Aggressive pebble-embossed surface enhances traction and durability
- Beveled edges reduce tripping
- Ergo-Flex™ comes with a 3 year limited warranty
- Acts as a shock-absorber for fallen tools.

Recommended Uses


- Automotive & Industrial work cells
- Service counters
- Shipping and packaging work cells
- Laboratories

Black/Yellow

Soft, closed-cell PVC base for comfort



(also available in 3/8")

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5' 3' x 10'	2' x 60' 3' x 60' 4' x 60' 6' x 60'*	2', 3', 4' and 6"* widths up to 60' in length

*6' widths are available in Solid Black only

Custom Products & Services, Inc.

6140 Claude Way E., Inver Grove Heights, MN. 55076
PH: 888-444-1202 (Toll Free) or 651-452-2264 FAX: 651-452-2264



Black/
Standard Emboss

Black/
Pebble Emboss

Gray/
Standard Emboss

Soft Foot™

Ind. Spec.

#106 (1/4" thickness) **#105** (3/8" thickness)

- Ergonomically styled anti-fatigue matting designed to provide comfort and relief for aching feet and legs
- Great for light to moderate standing environments
- Economical solution for improving workers comfort and productivity
- 100% Closed-cell PVC foam
- Beveled edges for increased safety
- Recommended for dry to moist environments
- Available in two durable embossed non-slip textures
- Material can easily be cut to fit any work area as needed
- Available in individual mats or rolls in 1/4" or popular 3/8" thickness

Recommended Uses


- Industrial work cells
- Registers and check out counters
- Service counters
- Shipping and packaging work cells

Embossing Available
In Standard or Pebble Finish



(also available in 1/4")


Available in 1/4" & 3/8" Thickness

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3'	2' x 60'	2', 3', 4' and 6' widths up to 60' in length
27" x 36"	3' x 60'	
27" x 60"	4' x 60'	
3' x 5'	6' x 60'	

Safety Soft Foot™

Ind. Spec. #110

- Same great anti-fatigue foam with bright OSHA Yellow borders for higher visibility and safety
- Available in 3/8" thickness

Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3'	2' x 60'	2', 3' and 4' widths up to 60' in length
3' x 5'	3' x 60'	
	4' x 60'	

Black-Yellow/
Pebble Emboss

Black-Yellow/
Standard Emboss

Gray/
Pebble Emboss

Safety Soft Foot™ w/Durashield™

Ind. Spec. #111

- Same ergonomically formulated matting as the Soft Foot™ plus a heavy-duty Dura Shield™ polyurethane coating
- Dura Shield™ polyurethane coating increases wear-resistance and extends the life of the product
- Yellow border increases visibility to make work areas safer
- Recommended for dry to moist environments
- Available in individual mats or rolls in popular 3/8" thickness
- Beveled edges for increased safety
- Pebble embossed surface


Recommended Uses

- Industrial work cells
- Laboratory work areas
- Shipping and packaging work cells



Available In Black/Yellow Color Only



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length

Available In Black/Yellow Color Only


Supreme Soft Foot™

Ind. Spec. #115

- Same great features as our standard Soft Foot anti-fatigue matting only made with increased thickness for additional comfort and support
- Pebble embossed surface provides better wear-resistance than standard rib embossed surface

Available In
Pebble Emboss Only



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	2' x 60' 3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length

