

ApachestatTM Soft FootTM

Ind. Spec. #500

- Ergonomically styled anti-fatigue matting designed to provide comfort and relief for aching feet and legs
- Great to use in areas to help prevent damage from static electricity
- **RTT - 10⁸-10⁹ ohms**
- **RTG - 10⁸-10⁹ ohms**
- 100% Closed cell PVC foam
- Beveled edges for increased safety
- Material can easily be cut to fit any work area as needed
- Optional 15' grounding cord available for optimum results
- Snap will be installed on all stock mats if requested

Custom Products & Services, Inc.




6140 Claude Way E.,


Inver Grove Hts., MN. 55076

PH: 888-444-1202 FAX: 651-452-2264

E-Mail: info@custom-products.com

Website: www.custom-products.com



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	3' x 60' 4' x 60'	2', 3' and 4' widths up to 60' in length




15' Grounding Cord


- Connects all ESD matting to a building's electrical ground through a snap placed on the corner of the mats.
- One Megaohm resistor floor mat dome cap

ApachestatTM SmoothTechTM

Ind. Spec. #510

- Long lasting smooth PVC surface **NGB** bonded to a 3/8" closed cell PVC sponge base
- Anti-fatigue mat provides comfort for feet and legs and helps control static electricity in sensitive work areas
- **RTT - 10⁷ ohms**
- **RTG - 10⁷ ohms**
- Optional 15' grounding cord available for optimum results
- Beveled edges for safety
- Easy to clean surface
- **Limited 3 year warranty against wear and delamination**
(Not guaranteed against damage from high heels, casters or stool legs)
- Snap will be installed on all stock mats if requested



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5'	3' x 75' 4' x 75'	3' and 4' widths up to 75' in length


Conductive Diamond Foot™

Ind. Spec. #600

- Durable electrically conductive PVC surface **NGB** bonded to a resilient anti-fatigue closed-cell PVC foam base
- Mat provides comfort for workers while protecting equipment from static electricity
- Conductive diamond surfaces removes static electricity from workers preventing damage to sensitive electronic equipment and systems
- **RTT – 10⁴-10⁵ ohms**
- **RTG – 10⁴-10⁵ ohms**
- Industry favorite diamond pattern provides an abrasion and slip-resistant surface
- Limited 3-year guarantee against wear and delamination
- Beveled edges on all mats
- Snap will be installed on all stock mats if requested

Conductive PVC Diamond Pattern Surface



Stock Mat Sizes	Stock Roll Sizes	Custom Sizes 
2' x 3' 3' x 5' 3' x 10'	3' x 75' 4' x 75'	3' and 4' widths up to 75' in length



Custom Configurations Available:
Call for details


15' Grounding Cord Available



Conductive Diamond Runner

Ind. Spec. #605

- Same Durable electrically conductive PVC surface as Conductive Diamond Foot™
- Runner provides slip-resistance in work areas such as aisles and work stations for workers while protecting equipment from static electricity
- Conductive diamond surfaces removes static electricity from workers preventing damage to sensitive electronic equipment and systems
- **RTT – 10⁴-10⁵ ohms**
- **RTG – 10⁴-10⁵ ohms**
- Industry favorite diamond pattern provides an abrasion and slip-resistant surface
- 5/32" Thickness


Stock Roll Sizes	Custom Sizes 
3' x 75' 4' x 75'	3' and 4' widths up to 75' in length



3/16" Switchboard Diamond Deckplate

Ind. Spec. #704

- Solid 3/16" thick PVC diamond surface runner
- Made to protect workers from high voltage equipment
- Aggressive, abrasion resistant diamond pattern provides improved traction
- Dielectric strength up to 30,000 volts(VAC)
- Recommended maximum usage - 3000 volts(VAC)
- MIL-DTL-15562-G Type 3


Stock Roll Sizes	Custom Sizes 
3' x 75' (Solid Gray)	3' widths up to 75' in length

Solid Gray

1/8" Switchboard Smooth

Ind. Spec. #702

- Long lasting Smooth 1/8" thick PVC runner
- Made to protect workers from high voltage equipment
- Easy to clean surface
- Dielectric strength up to 30,000 volts(VAC)
- Recommended maximum usage - 3,000 volts(VAC)
- MIL-DTL-15562-G Type 2

Stock Roll Sizes	Custom Sizes 
3' x 75' (Solid Blue)	3' width up to 75' in length

*Black Available, Call for details




Solid Blue

1/4" Switchboard Corrugated

Ind. Spec. #700

- Durable 1/4" PVC corrugated runner improves safety with increased traction
- Made to protect workers from high voltage equipment
- Easy to clean surface
- Dielectric strength up to 30,000 volts(VAC)
- Recommended maximum usage - 17,000 volts(VAC)
- ASTM D-178/ANSI J6.7

Stock Roll Sizes	Custom Sizes 
2' x 75' 3' x 75' 4' x 75'	2', 3' and 4' widths up to 75' in length

Solid Black

